

September 9, 2013

ADDENDUM #1

13-155 Family Arena Resin Floor System

Addendum #1 is being issued to change the **Scope of Work** and to provide alternate pricing on the following:

1. The original Scope of Work reads as follows:

Scope of Work: Vendor is required to remove approximately 9,000 sq.ft of VCT tile and clean substrate of all debris and resin to bare concrete. Install approximately 9,000 sq.ft. of Key resin traffic coating. It is anticipated that a custom color will be required. Color to be determined.

Scope of Work should now be as follows:

Vendor is required to remove approximately 9,000 sq.ft of VCT tile and clean substrate of all debris and resin to bare concrete. Install approximately 9,000 sq.ft. of Key resin traffic coating **also included is a 4" radius cove base**. It is anticipated that a custom color will be required. Color to be determined.

2. Alternate Quartz System:

Key Quartz B-125 1/8" Double Broadcast Decorative Quartz System

Material:

1. Key #502 primer/low modulus binder 4 gallons / 1000 ft² coverage 250 ft²/gallon
2. Key #510 epoxy binder clear 10 gallons/1000 ft² coverage 100ft²/gallon
3. Key colored quartz grandules KBQ-BCM 400 lbs/1000 ft²
4. Key #510 epoxy binder clear 12 gallons/1000 ft² coverage 80-90 ft²/gallon
5. Key colored quartz grandules KBQ-BCM 350 lbs/1000 ft²
6. Key #512 LV Low viscosity UV resistant glaze 12 gallons/1000ft² coverage 80-90 ft²/gallon
7. Key #512 UV resistant glaze (additional topcoat) 8 gallons/1000ft²

SEE ATTACHED REVISED BID FORM – The following forms must be filled out and returned with bid package.

Bidders shall sign this Addendum as acknowledgment and return it with the bid.

BID ADDENDUM

Addendum #1

Dated _____

We, the undersigned, acknowledge the receipt of the above addendum(s) as dated.

By: _____

Title: _____

Company: _____

Date: _____

REVISED BID FORM (9-9-13)

SB 13-155

FAMILY ARENA RESIN FLOOR SYSTEM

BID OPENING DATE: 9/13/2013 at 10:00 AM

(Bidder name)

Submits the following bid for this project:

BASE BID

Price for Resin Traffic Coating System \$ _____

Adder for Payment Bond \$ _____

Total Bid Price \$ _____

Cost per foot for radius 4" cove base \$ _____

Make and manufacturer of product bid _____

Describe the warranty offered (include documentation) _____

Number of days to complete project: _____

Alternate Bid - (Double Broadcast Decorative Quartz System)

Price for Resin Traffic Coating Quartz System \$ _____

Adder for Payment Bond \$ _____

Total Bid Price \$ _____

Cost per foot for radius 4" cove base \$ _____

Make and manufacturer of product bid _____

Describe the warranty offered (include documentation) _____

Number of days to complete project: _____

Authorized signature **Date**
